TOP SECRET

TOPSECRET 252011Z AUG 70 CITE 9131

В

25 Aug 10 23 25X1 25X1

SYNCRONIZATION TEST D/POS CUT 176-1/2, 7 JULY 1970. REF A. 5060 22 JUNE 1970.

25X1

25X1

25X1

FOLLOWING ITEMS TITLED ON SAMPLE IMAGERY (REF A) DIFFERED AS INDICATED FROM THAT STATED IN REF B. REQUEST CLARIFICATION AS TO WHICH

- IS TRUE REPRESENTATIVE OF INTENDED TITLING CONTENT AND PLACEMENT.

  A. SCAN ANGLE MARKS TITLED FROM Ø TO 120 INSTEAD OF PLUS AND MINUS Ø TO 60 AS STATED IN REF B, PARA 6.
  - LAST SCAN ANGLE MARK TITLED 120 INSTEAD OF NO INDICATOR В. AS STATED IN REF B., PARA 6.
  - C. ADDITIONAL FOUR NUMBERS TITLED ON EACH FRAME OF THE FILM BUT NOT ACCOUNTED FOR IN REF B.
  - D. ASSUMED THAT TITLING DATA WOULD READ AS REAL TEXT WHEN VIEWING A TRUE MAP ORIENTED D/POS EMULSION UP. VIEWED AS SUCH ON SAMPLE IMAGERY (REF A) TITLING DATA WAS MIRROR OF REAL TEXT. NOT MENTIONED IN REF B.

TOPSECRET GROUP ONE

> DISTRIBUTION OFFICE PI CY FILE CABLE SEC. PP&B/RD SECUR. TSSG 25X1 R REFRO AID IEG IEG/OD SCIEN WEST EAST M&S IEG/PHD IAS DIA-XX4 SPAD DTA-AP 25X1 25X1

TOP SECRET